## U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

## **ELEVATION CERTIFICATE**

Important: Read the instructions on pages 1-9.

	OMB NO.
Expiration Date: July 31, 2015	Expiration

SECTION A - PR	FOR INSURANCE COMPANY USE					
A1. Building Owner's Name Lawrence Abramovitz and Carol Abramovitz	Policy Number					
A2. Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or I 1119 Johnson Street	P.O. Route and Box No.	Company NAIC Number				
City Key West State	FI ZIP Code 33040					
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Lega KW Martello Towers, PB1-40, Lot 20 & NELY 1/2 Lot 21, Parcel No. 0005847						
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential  A5. Latitude/Longitude: Lat. 24 32'58.8"N Long. 81 47'13.8"W Horizontal Datum: NAD 1927 NAD 1983  A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.  A7. Building Diagram Number 1B  A8. For a building with a crawlspace or enclosure(s):  a) Square footage of crawlspace or enclosure(s):  b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade n/a within 1.0 foot above adjacent grade n/a within 1.0 foot above adjacent grade n/a sq in d) Engineered flood openings? Yes No  A9. For a building with an attached garage:  a) Square footage of attached garage n/a sq ft b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade n/a sq in d) Engineered flood openings? Yes No						
SECTION B - FLOOD INSURANC	E RATE MAP (FIRM) INFORMATION	ON				
B1. NFIP Community Name & Community Number B2. County I City of Key West 120168 B2. Monroe	Name	B3. State Florida				
	37. FIRM Panel B8. Flood ctive/Revised Date Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)				
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.  FIS Profile FIRM Community Determined Other/Source:  B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:  B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Designation Date:  CBRS OPA						
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)						
	Y INFORMATION (SURVET REQU	RED)				
C1. Building elevations are based on:  C3. Construction Drawings*  *A new Elevation Certificate will be required when construction of the build C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with E below according to the building diagram specified in Item A7. In Puerto Ric Benchmark Utilized:  Basic  Vertical Data Indicate elevation datum used for the elevations in items a) through h) belowed.	☐ Building Under Construction* ing is complete.  BFE), AR, AR/A, AR/AE, AR/A1—A30, AR co only, enter meters.  atum: NGVD 1929  DW. ☑ NGVD 1929 ☐ NAVD 1988 ☐	☑ Finished Construction  VAH, AR/AO. Complete Items C2.a—h				
C1. Building elevations are based on:  C3. Construction Drawings*  *A new Elevation Certificate will be required when construction of the build C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with E below according to the building diagram specified in Item A7. In Puerto Ric Benchmark Utilized:  Basic  Vertical Description:	☐ Building Under Construction* ing is complete. BFE), AR, AR/A, AR/AE, AR/A1—A30, AR co only, enter meters. atum: NGVD 1929 DW. ☑ NGVD 1929 ☐ NAVD 1988 ☐ BFE.	☑ Finished Construction  VAH, AR/AO. Complete Items C2.a—h				
C1. Building elevations are based on:  "A new Elevation Certificate will be required when construction of the build C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with E below according to the building diagram specified in Item A7. In Puerto Ric Benchmark Utilized: Basic Vertical Da Indicate elevation datum used for the elevations in items a) through h) belo Datum used for building elevations must be the same as that used for the  a) Top of bottom floor (including basement, crawlspace, or enclosure floor b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building	☐ Building Under Construction* ing is complete. BFE), AR, AR/A, AR/AE, AR/A1—A30, AR co only, enter meters. atum: NGVD 1929 DW. ☒ NGVD 1929 ☐ NAVD 1988 ☐ 6 BFE. Check	☑ Finished Construction  N/AH, AR/AO. Complete Items C2.a—h  Other/Source:				
C1. Building elevations are based on:  'A new Elevation Certificate will be required when construction of the build C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with E below according to the building diagram specified in Item A7. In Puerto Ric Benchmark Utilized:  Basic  Vertical District Indicate elevation datum used for the elevations in items a) through h) below Datum used for building elevations must be the same as that used for the a) Top of bottom floor (including basement, crawlspace, or enclosure floor b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab)	□ Building Under Construction* ing is complete.  BFE), AR, AR/A, AR/AE, AR/A1—A30, AR co only, enter meters. atum: NGVD 1929  DW. ☑ NGVD 1929 □ NAVD 1988 □ OR  BFE.  Check  7.22  16.7  n/a.  n/a.  9.3  4.5  6.3	☐ Finished Construction  IVAH, AR/AO. Complete Items C2.a—h  Other/Source:  Isk the measurement used.  ☐ feet ☐ meters				
C1. Building elevations are based on:  'A new Elevation Certificate will be required when construction of the build C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with E below according to the building diagram specified in Item A7. In Puerto Ric Benchmark Utilized:  Benchmark Utilized:  Basic  Vertical Datum used for the elevations in items a) through h) below Datum used for building elevations must be the same as that used for the a) Top of bottom floor (including basement, crawlspace, or enclosure floor b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab)  e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (HAG)	□ Building Under Construction* ing is complete.  BFE), AR, AR/A, AR/AE, AR/A1—A30, AR co only, enter meters. atum: NGVD 1929  DW. ☑ NGVD 1929 □ NAVD 1988 □ OR  BFE.  Check  7.22  16.7  n/a.  n/a.  9.3  4.5  6.3  ructural support 4.6	Finished Construction   AAH, AR/AO. Complete Items C2.a—h   Other/Source:    Sk the measurement used.   Geet				
C1. Building elevations are based on:  *A new Elevation Certificate will be required when construction of the build C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with E below according to the building diagram specified in Item A7. In Puerto Ric Benchmark Utilized: Basic Vertical Dr. Indicate elevation datum used for the elevations in items a) through h) below Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the a) Top of bottom floor (including basement, crawlspace, or enclosure floor b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural member (V Zones only) d) Attached garage (for possible parage of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent grade at lowest elevation of deck or stairs, including structural member (V Zones only) d) Attached garage (for possible parage of equipment and location in Comments) f) Lowest adjacent finished) grade next to building (LAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural member (V Zones only) d) Attached garage for possible parage for enclosure floor for equipment for	□ Building Under Construction* ing is complete. BFE), AR, AR/A, AR/AE, AR/A1—A30, AF co only, enter meters. atum: NGVD 1929 DW. ☒ NGVD 1929 □ NAVD 1988 □ 6 BFE.  Check  7.22 16.7 n/a. 1/a. 9.3  4.5 6.3 ructural support 4.6  ER, OR ARCHITECT CERTIFICATI rehitect authorized by law to certify elevate efforts to interpret the data available. ent under 18 U.S. Code, Section 1001. et and longitude in Section A provided by its surveyor? ☒ Yes □ No License Number PLSM 2749	Finished Construction  IVAH, AR/AO. Complete Items C2.a—h  Other/Source:  Ix the measurement used.   feet				
C1. Building elevations are based on:  *A new Elevation Certificate will be required when construction of the build C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with E below according to the building diagram specified in Item A7. In Puerto Ric Benchmark Utilized: Basic Vertical Dr. Indicate elevation datum used for the elevations in items a) through h) belong Datum used for building elevations must be the same as that used for the Datum used for building elevations must be the same as that used for the a) Top of bottom floor (including basement, crawlspace, or enclosure floor b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural member (V Zones only) d) Attached grage (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural member (V Zones only) d) Attached grade at lowest elevation of deck or stairs, including structural member (V Zones only) d) Attached grade next to building (HAG) h) Lowest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural member (V Zones only) d) Attached grade next to building (HAG) h) Lowest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural member (V Zones only) d) Attached grade next to building (HAG) h) Lowest adjacent (finished) grade next to building (HAG) h) Lowest adjacent (finished) grade next to building (HAG) h) Lowest adjacent (finished) grade next to building (HAG) h	□ Building Under Construction* ing is complete. BFE), AR, AR/A, AR/AE, AR/A1—A30, AF co only, enter meters. atum: NGVD 1929 DW. ☒ NGVD 1929 □ NAVD 1988 □ 6 BFE.  Check  7.22 16.7 n/a. 1/a. 9.3  4.5 6.3 ructural support 4.6  ER, OR ARCHITECT CERTIFICATI rehitect authorized by law to certify elevate efforts to interpret the data available. ent under 18 U.S. Code, Section 1001. et and longitude in Section A provided by its surveyor? ☒ Yes □ No License Number PLSM 2749	Finished Construction  IVAH, AR/AO. Complete Items C2.a—h  Other/Source:  Ix the measurement used.   feet				

ELEVATION CERTIFICATE, pag	ge 2			
	opy the corresponding information from S			OR INSURANCE COMPANY USE
Building Street Address (including Apt., 1119 Johnson Street	Unit, Suite, and/or Bldg. No.) or P.O. Route and B		- 4	Policy Number
City Key West	State FI ZI	P Code 330	40	Company NAIC Number
SECTION	D - SURVEYOR, ENGINEER, OR ARCHITE	CT CERTII	FICATION (CO	NTINUED)
	cate for (1) community official, (2) insurance agent			
	d using hand held G.P.S. C2.e) Electric meter box			
Signature	Date 2/	20/15		
SECTION E - BUILDING ELEV	VATION INFORMATION (SURVEY NOT REC	QUIRED) F	OR ZONE AO	AND ZONE A (WITHOUT BFE)
and C. For Items E1–E4, use natural gits E1. Provide elevation information for grade (HAG) and the lowest adjact a) Top of bottom floor (including to) Top of bottom floor (including to) Top of bottom floor (including to) E2. For Building Diagrams 6–9 with preference (elevation C2.b in the diagrams) (elevation C2.b in the diagrams) (elevation C2.b in the diagrams) (E3. Attached garage (top of slab) is E4. Top of platform of machinery and E5. Zone AO only: If no flood depth in	basement, crawlspace, or enclosure) is basement, crawlspace, or enclosure) is bermanent flood openings provided in Section A Ite of the building is   feet   mete   feet   meters   above of floor equipment servicing the building is number is available, is the top of the bottom floor e	n Puerto Ricc how whether fe fe sms 8 and/or ers abov or below feet levated in ac	et  meters  et meters  et meters  et meters  9 (see pages 8-4  e or below the HAG.  meters aborders aborders  aborderders aborders aborders  aborderders aborderders with the	above or below the highest adjacent above or below the HAG. above or below the LAG. of Instructions), the next higher floor he HAG. bove or below the HAG.
	Unknown. The local official must certify this infon F - PROPERTY OWNER (OR OWNER'S RI			IFICATION
	zed representative who completes Sections A, B, a			
or Zone AO must sign here. The statem	nents in Sections A, B, and E are correct to the bes	t of my knov	vledge.	
Property Owner's or Owner's Authorize	ed Representative's Name			
Address	City		State	ZIP Code
Signature	Date		Teleph	one
Comments	CECTION O COMMUNICATION	ATION (OT	TIONAL	Check here if attachment
The local official who is authorized by law	SECTION G – COMMUNITY INFORM or ordinance to administer the community's floodpla	in managem	ent ordinance car	complete Sections A, B, C (or E). and G
of this Elevation Certificate. Complete the G1. The information in Section C w is authorized by law to certify e G2. A community official completed	applicable item(s) and sign below. Check the meas was taken from other documentation that has been elevation information. (Indicate the source and dat d Section E for a building located in Zone A (without the Section E for a building located in Zone A (w	urement used signed and s e of the elev- ut a FEMA-is nanagement	d in Items G8-G1 sealed by a licens ation data in the sued or commun purposes.	In Puerto Rico only, enter meters.  sed surveyor, engineer, or architect who Comments area below.)  ity-issued BFE) or Zone AO.
G4. Permit Number	G5. Date Permit Issued	G6. Date (	Certificate Of Con	npliance/Occupancy Issued
G7. This permit has been issued for: G8. Elevation of as-built lowest floor (in G9. BFE or (in Zone AO) depth of flood G10. Community's design flood elevation	ling at the building site:	rovement	☐ meters ☐ meters ☐ meters	Datum Datum Datum
Local Official's Name	Title			
Community Name	Tele	phone		
Signature	Date	-		
Comments				☐ Check here if attachmen
	W.			

## **ELEVATION CERTIFICATE**, page 3

## Building Photographs See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1119 Johnson Street

Policy Number

City Key West

State FI

ZIP Code 33040

Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.





Rear View (2/19/15)

